

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



quotemaster  
qUS2.6.3

**Loewen Windows**

Box 2260  
Steinbach, MB  
Canada R0A 2A0

Created: qUS2.6.3 02/10/2003  
Created By:

Long Quote  
Date: 02/10/2003

| Customer Information | Project Information      |
|----------------------|--------------------------|
| Account #: 000008    | Project #: 000283        |
| Customer: Thermocore | Tag Name: DELTA - GRYTZA |
| Address:             | P.O. #:                  |
| City/State:          | Ship Via:                |
| Contact:             | Ship To:                 |
| Phone:               | City, State, Zip:        |
| Fax:                 | Shipping Terms:          |
| Email:               | Payment Terms:           |
| I/S Sales Rep:       | O/S Sales Rep:           |

Project Comments:

**Loewen Windows Proposes To Furnish The Products Below - Errors and Omissions Excepted**

|            |                        |        |
|------------|------------------------|--------|
| Item: 0001 | Location: study dining | Qty: 2 |
| Comments:  |                        |        |

**Exterior View**

Frame Size = 82 11/16" W x 59 1/16" H  
RO Size = 83 15/32" W x 59 27/32" H  
Cubic Feet = 43.41



**Specifications**

standard CA3 2115 LFR (2100 x 1500)  
Interior: Clear Wood  
Brick Mould: None  
Jamb: 5 1/16" (129)  
Glazing: Clear Heat Smart Plus System 1  
" c/w Standard Concealed Locking System "  
Bronze Standard Handle ()  
Bronze Hardware (BRN) (MIR)  
Aluminum Bar 1/2" (12mm) (AMS)  
Bronze Fiberglass screen(s) (BZS)  
Flange (IDH)  
WMC HP1

Pricing for Quantity of 2

standard CA3 2115 LFR Heat Smart Plus System 1, White Metal Clad Exterior  
5 1/16" Jamb  
(2) CA1-0715 Standard Concealed Locking System

|    |          |
|----|----------|
| \$ | 1,466.00 |
| \$ | 81.00    |
| \$ | 0.02     |
|    | 1547.02  |
|    | 3094.04  |

|                       |        |                 |              |
|-----------------------|--------|-----------------|--------------|
| Internal Project: 283 | 000008 | Mon Feb 10 2003 | Page: 1 Of 8 |
|-----------------------|--------|-----------------|--------------|

**TOTAL 975.00**

**for Jamb EX.**

B

02/10/03 MON 09:21 FAX 847 361 2222

LOEWEN WINDOWS

0002

Item: 0001A Location: garage Qty: 1

Comments:

## Exterior View

Frame Size = 82 11/16" W x 50 1/16" H  
 RO Size = 83 15/32" W x 59 27/32" H  
 Cubic Feet = 21.70



## Specifications

standard CA3 2115 FFF (2100 x 1500)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Flange (IDH)  
 WMC HP1

## Pricing for Quantity of 1

standard CA3 2115 FFF Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-0715 Deduct for Inoperable Unit

\$ 1,460.00

\$ 81.00

\$ 278.00-

1269.00

1269.00

Item: 0001B

Location: bed 3

Qty: 1

Comments:

## Exterior View

Frame Size = 82 11/16" W x 55 1/8" H  
 RO Size = 83 15/32" W x 55 29/32" H  
 Cubic Feet = 20.25



## Specifications

standard CA3 2114 LFR (2100 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 "w Standard Concealed Locking System"  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

## Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-0714 Standard Concealed Locking System

\$ 1,402.00

\$ 80.00

\$ 0.02

1482.02

1482.02

02/10/03 MON 09:22 FAX 847 362 2222

LOEWEN WINDOWS

0003

Furnish The Products Below - Errors and Omissions Excepted

Item: 0001C

Location: master bath

Qty: 1

Comments:

## Exterior View

Frame Size = 82 11/16" W x 55 1/8" H  
 RO Size = 83 16/32" W x 55 29/32" H  
 Cubic Feet = 20.25



## Specifications

standard CA3 2114 LFR (2100 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 Tempered Glass  
 \*\* d/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

\$ 1,402.00

(3) CA1-0714 Tempered Glass

\$ 80.00

(2) CA1-0714 Standard Concealed Locking System

\$ 336.00

\$ 0.02

1818.02

1818.02

Item: 0002

Location: foyer

Qty: 1

Comments:

## Exterior View

Frame Size = 70 7/8" W x 55 1/8" H  
 RO Size = 71 21/32" W x 55 29/32" H  
 Cubic Feet = 17.36



## Specifications

standard CA1 1814 F (1800 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 1

standard CA1 1814 F Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

\$ 830.00

\$ 74.00

904.00

904.00

02/10/03 MON 09:22 FAX 847 382 2222

LOEWEN WINDOWS

004

Item: 0003 Location: powder laundry Qty: 2

Comments:

## Exterior View

Frame Size = 27 0/16" W x 47 1/8" H  
 RO Size = 28 11/32" W x 48 1/32" H  
 Cubic Feet = 11.57



## Specifications

standard CA1 0712 L (700 x 1200)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 2

standard CA1 0712 L Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(1) CA1-0712 Standard Concealed Locking System

\$ 467.00  
 \$ 52.00  
 \$ 0.01

519.01 1038.02

Item: 0004


Location: kitchen

Qty: 1

Comments:

## Exterior View

Frame Size = 47 1/4" W x 39 3/8" H  
 RO Size = 48 1/32" W x 40 5/32" H  
 Cubic Feet = 8.27



## Specifications

standard CA2 1210 LR (1200 x 1000)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 1

standard CA2 1210 LR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-0610 Standard Concealed Locking System

\$ 800.00  
 \$ 57.00  
 \$ 0.02

857.02 857.02

Inform Project 283

000008

Mon Feb 10 2003

Page 4 of 8

B

02/10/03 MON 08:22 FAX 847 382 2222

LOEWEN WINDOWS

005

Furnish the Products Below - Errors and Omissions Excepted

Item: 0004A

Location: family room

Qty: 1

## Exterior View

Frame Size = 82 11/16" W x 59 1/16" H  
 RO Size = 83 15/32" W x 59 27/32" H  
 Cubic Feet = 21.70



## Specifications

standard CA3 2115 LFR (2100 x 1500)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 1

standard CA3 2115 LFR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-0715 Standard Concealed Locking System

\$ 1,468.00

\$ 51.00

\$ 0.02

1547.02

1547.02

Item: 0004B

Location: master suite

Qty: 1

Comments:

## Exterior View

Frame Size = 82 11/16" W x 55 1/8" H  
 RO Size = 83 15/32" W x 55 29/32" H  
 Cubic Feet = 20.25



## Specifications

standard CA3 2114 LFR (2100 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

Pricing for Quantity of 1

standard CA3 2114 LFR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-0714 Standard Concealed Locking System

\$ 1,402.00

\$ 80.00

\$ 0.02

1482.02

1482.02

Internal Project:

203

000006

Mon Feb 10 2003

Page 5 Of 8

Proposed to Furnish The Products Below - Errors and Omissions Excepted

Item: 0005

Location: bedroom 2

Qty: 1

## Exterior View

Frame Size = 31 1/2" W x 55 1/8" H  
 RO Size = 32 9/32" W x 55 29/32" H  
 Cubic Feet = 7.72



## Specifications

standard CA1 0814 L (800 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (128)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

## Pricing for Quantity of 1

standard CA1 0814 L Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(1) CA1-0814 Standard Concealed Locking System

\$ 571.00  
 \$ 57.00  
 \$ 0.01

628.01 628.01

Item: 0006

Location: bonus room

Qty: 1

## Exterior View

Frame Size = 59 1/16" W x 55 1/8" H  
 RO Size = 59 27/32" W x 55 29/32" H  
 Cubic Feet = 14.47



## Specifications

standard CA2 1514 LR (1600 x 1400)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (128)  
 Glazing: Clear Heat Smart Plus System 1  
 \*\* c/w Standard Concealed Locking System \*\*  
 Bronze Standard Handle (I)  
 Bronze Hardware (BRN) (MIR)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Bronze Fiberglass screen(s) (BZS)  
 Flange (IDH)  
 WMC HP1

## Pricing for Quantity of 1

standard CA2 1514 LR Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb

(2) CA1-7514 Standard Concealed Locking System

\$ 1,142.00  
 \$ 70.00  
 \$ 0.02

1212.02 1212.02

02/10/03 MON 08:23 FAX 647 36 022

LOEWEN WINDOWS

007

LOEWEN WINDOWS Proposes To Furnish The Products Below - Errors and Omissions Excepted


Item: 0007

Location: basement

Qty: 1

## Exterior View

Frame Size = 41 3/8" W x 58 7/32" H  
 RO Size = 42 5/32" W x 57" H  
 Cubic Feet = 10.34



## Specifications

standard DH1 3624 (1051 x 1428)  
 Interior: Clear Wood  
 Brick Mould: None  
 Jamb: 5 1/16" (12R)  
 Upper Glazing: Clear Heat Smart Plus System 1  
 Lower Glazing: Clear Heat Smart Plus System 1  
 Tan Jambliner (TAN)  
 Bronze Hardware (BRN)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 White Fiberglass screen(s) (WHS)  
 Flange (IDH)  
 WMC HP1

## Pricing for Quantity of 1

standard DH1 3624 Heat Smart Plus System 1, White Metal Clad Exterior  
 5 1/16" Jamb  
 c/w Fiberglass Sill

\$ 493.00  
 \$ 66.00  
 \$ 0.00

559.00 559.00

Item: 0008


Location:

Qty: 1

Comments:

## Exterior View

Frame Size = 70 7/8" W x 98 7/16" H  
 RO Size = 71 21/32" W x 99 7/32" H  
 Cubic Feet = 31.00



## Specifications

Combination Unit standard FP2 1821 OF//standard FP12 1804  
 FF  
 Osm: 1800 X 2500  
 Jamb: 5 1/16" (12R)  
 Brick Mould: None  
 SHOP MULL.

## Pricing for Quantity of 1

COMPOSITE. 5 1/16" Jamb

\$ 118.00  
 118.00



02/10/03 MON 08:23 FAX 847 368 2222

LOEWEN WINDOWS

0008

Item: 0008 Sub-Unit 1

## Comments :

Frame Size = 70 7/8" W x 82 11/16" H

standard FP2 1821 OF (1800 x 2100)  
 Interior : Clear Wood  
 Interior Panel: Edge glued Fir  
 Brick Mould : None  
 Jamb : 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 Tempered Glass  
 Clear Anodized Sill  
 Standard Handle (Bronze Ext./Brown. Int.)  
 Aluminum Bar 1/2" (12mm) (AMS)  
 White Fiberglass screen(s) (WHS)  
 Flange (SDF)  
 WMC HP1

standard FP2 1821 OF Heat Smart Plus System 1, White Metal Clad Exterior  
 (2) FP1 0921 Laminated Edge Glued Interior

\$ 2,136.00  
 \$ 0.02  
 2136.02

Item: 0008 Sub-Unit 2

## Comments :

Frame Size = 70 7/8" W x 16 3/4" H

standard FPT2 1804 FF (1800 x 400)  
 Interior : Clear Wood  
 Interior Panel: Edge glued Fir  
 Brick Mould : None  
 Jamb : 5 1/16" (129)  
 Glazing: Clear Heat Smart Plus System 1  
 Aluminum Bar 1/2" (12mm) (AMS)  
 Flange (SDF)  
 WMC HP1

standard FPT2 1804 FF Heat Smart Plus System 1, White Metal Clad Exterior  
 (2) FPT1-0904 Laminated Edge Glued Interior

\$ 895.00  
 \$ 0.02  
 895.02

3147.04 3147.04

|                                  |        |                     |          |
|----------------------------------|--------|---------------------|----------|
| Total Cubic Feet on this order : | 284.40 | Sub Total \$        | 19037.23 |
| SUBMITTED BY :                   |        |                     | 0.00     |
| ACCEPTED BY :                    |        |                     | 0.00     |
| DATE :                           |        | Total Tax \$        | 0.00     |
|                                  |        | GRAND TOTAL (US) \$ | 19037.23 |

This quote is valid for 30 days.

FRT TO 250.00  
 TOBSITE

Internal Project: 283

000008

Mon Feb 10 2003

Page: 8 Of 8

TOTAL 11,535.00